

A complete list of papers addressing the application of NRI

where professor Peter Smith was an author.

Smith P, Joseph A, Baker-Austin C, Kang N, Baron S, Le Devendec L, Jouy E, Chisnall T, Alistair R, Davies AR, Schwarz S, Feßler AT, Ahrens T, Jahnen J, TAlterT, Fleischmann S, Hammerl JA, Jäckel C, Gieseke CM, Crosby TC, Kittel EC, Miller RA, Alexander T, Carranza K, Burbick CB, Ching B, Soh JH, Chng YR, Wong WK, Fernandez CJ, Chang SF, Verner-Jeffreys D, Powell A. (2024) Epidemiological cut-off values for *Vibrio parahaemolyticus* calculated from minimal inhibitory concentration data generated at 35°C and 28°C Diseases of Aquatic Organisms. (in press)

Smith P, Le Devendec L, Jouy E, Larvor E, Verner-Jeffreys D, Joseph AW, Stanton E, Light E, Cortinovis L, Pretto T, Manfrin A. (2024) Epidemiological cut-off values for *Yersinia ruckeri* disc diffusion data generated by a standardised method. Diseases of Aquatic Organisms. 158:21-5.

Smith P, Buba E, Desbois AP, Adams A, Verner-Jeffreys D, Joseph A, Light E, Le Devendec L, Jouy E, Larvor E, Boitard PM. (2024) Setting epidemiological cut-off values relevant to MIC and disc diffusion data for *Aeromonas salmonicida* generated by a standard method Diseases of Aquatic Organisms. 159:29-35.

Smith P (2023) 'Precision limits for MIC data required to set epidemiological cut-off values'. *Bulletin Of The European Association Of Fish Pathologists*, 42 (2):79-83

Smith P, Le Devendec L, Jouy E, Larvor E, Le Breton A, Picon-Camacho S, Zrnčič S, Zupičič IG, Oraič D, Karatač S, Verner-Jeffreys D, Joseph AW, Light E, van Essen-Zandbergen A, van Gelderen B, Voorbergen-Laarman M, Haenen OLM, Veldman, KT, Madsen. L, Mouritsen KK, Smith Svanevik C, Håkonsholm F, Florio D, Fioravanti M, Cortinovis L, Pretto T, Manfrin A, Baron S (2023) 'Epidemiological cut-off values for *Vibrio anguillarum* MIC and disc diffusion data generated by standardised methods. *Diseases Of Aquatic Organisms*, 155 :109-123

Gordoncillo MJ, Smith P, Ching, B, Miller R (2023) *Monitoring and surveillance of antimicrobial resistance in bacterial pathogens from aquaculture - Regional Guidelines for the Monitoring and Surveillance of Antimicrobial Resistance, Use and Residues in Food and Agriculture*. Food and Agriculture Organization of the UN, The National Parks Board and the Singapore Food Agency, Bangkok

Smith P, Cortinovis L, Pretto T, Manfrin A, Florio D, Fioravanti M, Baron S, Le Devendec L, Jouy E, Le Breton A, Picon-Camacho S, Zupičič IG, Oraič D, Zrnčič S (2023) Setting epidemiological cut-off values for *Vibrio harveyi* relevant to MIC data generated by a standardised microdilution method. *Diseases Of Aquatic Organisms*, 155 :35-42

Smith P, Le Devendec L, Jouy E, Larvor E, Lesne J, Kirschner AK, Rehm C, Leopold M, Pleininger S, Heger F, Jäckel C, Göllner C, Nekat J, Hammerl JA, Baron S (2023) Epidemiological cut-off values for non-O1/non-O139 *Vibrio cholerae* disc diffusion data generated by standardised methods. *Diseases Of Aquatic Organisms*, 156 :115-121

Baron, S., Larvor, E., Jouy, E., Kempf, I., Le Bouquin, S., Chauvin, C., Boitard, P.M., Jamin, M., Le Breton, A., Thuillier, B., & Smith, P. Sophie Le Bouquin Claire Chauvin Pierre-Marie Boitard Matthieu Jamin Alain Le Breton Benoit Thuillier Peter Smith Isabelle Kempf Sophie Le Bouquin Claire Chauvin Pierre-Marie Boitard Matthieu Jamin Alain Le Breton Benoit Thuillier (2021) Agreement between the categorization of isolates of *Aeromonas salmonicida* and *Yersinia ruckeri* by disc diffusion and MIC tests performed at 22°C. *Journal Of Fish Diseases*, 44: 979-985.

Baron, S., Ceccarelli, D., Dalsgaard, I., Granier, S.A., Haenen, O., Jansson, E., & Madsen, L., Jouy, E., Kempf, I., Larvor, E., Morin, T., Testerink, J., Veldman, K., Mouritsen, K.K., Van Gelderen, B., Voorbergen-Laarman, M., Saker, E., Blomkvist, E., & Smith, P (2020) 'Influence of incubation time on antimicrobial susceptibility testing of pathogenic *Vibrio anguillarum* and *Vibrio vulnificus* isolated from fish'. *Aquaculture*, 524 :735258. [

Smith, P. (2020) 'Eight rules for improving the quality of papers on the antimicrobial susceptibility of bacteria isolated from aquatic animals'. *Diseases of Aquatic Animals*, 139:87-92

Mesias Valle, F.M., Llanco, L., Serrano-Martinez, E., Hurtado, C., Rodriguez, T., & Smith, P. (2020) 'Antimicrobial sensitivity of pathogenic *Yersinia ruckeri* from central and southern highlands of Peru'. *Journal Of Fish Diseases*, 43:631-633

Saticioglu, I.B., Duman, M., Smith, P., Wiklund, T., & Altun, S. (2019) 'Antimicrobial resistance and resistance genes in *Flavobacterium psychrophilum* isolates from Turkey'. *Aquaculture*, 512:734293.

Smith P (2019) *The performance of antimicrobial susceptibility testing programmes relevant to aquaculture and aquaculture products*. Food and Agriculture Organization of the United Nations, Rome.

Kim A, Lim Y, Kim N, Luan Nguyen T, Roh HJ, Park CI, Han HJ, Jung SH, Cho MY, Kim DH, Smith P (2018) 'A comparison of genotypic and phenotypic methods for analyzing the susceptibility to sulfamethoxazole and trimethoprim in *Edwardsiella piscicida*'. *Microbial Drug Resistance*, 24 (8):1226-1235

Smith, P., Finnegan, W., Ngo, T., & Kronvall, G. (2018) 'Influence of incubation temperature and time on the precision of MIC and disc diffusion antimicrobial susceptibility test data'. *Aquaculture*, 490:19-24

Smith, P., Finnegan, W., Ngo, T., & Kronvall, G. (2018) 'Influence of incubation temperature and time on the precision of MIC and disc diffusion antimicrobial susceptibility test data'. *Aquaculture*, 490:19-24

Smith, P, Bartie, KL, Thompson, KD, Verner-Jeffreys, DW, Hoare, R, Adams, A (2018) 'Antimicrobial susceptibility of *Flavobacterium psychrophilum* isolates from the United Kingdom'. *Journal Of Fish Diseases*, 41:309-320

Van Vliet, D, Loch, TP, Smith, P, Faisal, M (2017) 'Antimicrobial Susceptibilities of

Flavobacterium psychrophilum Isolates from the Great Lakes Basin, Michigan'. *Microbial Drug Resistance*, 23:791-798

Contreras-Lynch, S, Smith, P, Olmos, P, Loy, ME, Finnegan, W, Miranda, CD (2017) 'A novel and validated protocol for performing MIC tests to determine the susceptibility of *Piscirickettsia salmonis* isolates to florfenicol and oxytetracycline. *Frontiers In Microbiology*, 8:1255.

Kronvall G, & Smith P (2016) 'Normalized resistance interpretation, the NRI method. Review of NRI disc test applications and guide to calculations'. *Apmis*,

Miranda CD, Smith P, Rojas R, Contreras-Lynch S and Alonso Vega JM (2016) Antimicrobial susceptibility of *Flavobacterium psychrophilum* from Chilean salmon farms and their epidemiological cut-off values using agar dilution and disc diffusion methods. *Frontiers In Microbiology*, 7:1880.

Lim, YJ, Kim, DH, Roh, HJ, Park, MA, Park, CI, Smith, P (2016) **Epidemiological cut-off values for disc** diffusion data generated by standard test protocols from *Edwardsiella tarda* and *Vibrio harveyi*. *Aquaculture International*, 24:1153-1161

Smith, P, Endris, R, Kronvall, G, Thomas, V, Verner-Jeffreys, D, Wilhelm, C, Dalsgaard, I (2016) 'Epidemiological cut-off values for *Flavobacterium psychrophilum* MIC data generated by a standard test protocol'. *Journal Of Fish Diseases*, 39:143-154

Smith, P, Kronvall, G (2015) Effect of incubation temperature and time on the precision of data generated by antibiotic disc diffusion assays. *Journal Of Fish Diseases*, 38:629-636

Smith, P, Kronvall, G (2015) How many strains are required to set an epidemiological cut-off value for MIC values determined for bacteria isolated from aquatic animals? *Aquaculture International*, 23:465-470

Smith, P, Kronvall, G (2014) 'Estimating the precision of disc diffusion antibiotic susceptibility data published by the European committee on antimicrobial susceptibility testing'. *Apmis*, 122:1096-1101

Minogue, E, Barry, T, Carroll, C, Smith, P (2012) Setting epidemiological cut-off values for *Aeromonas salmonicida* disc diffusion data capable of discriminating between strains on the basis of their possession of *sul1* genes. *Aquaculture*, 364 :329-332

Smith, P, Schwarz, T, Verner-Jeffreys, DW (2012) Use of normalised resistance analyses to set interpretive criteria for antibiotic disc diffusion data produce by *Aeromonas* spp. *Aquaculture*, 326:27-35

Avendano-Herrera, R, Molina, A, Magarinos, B, Toranzo, AE, Smith, P (2011) 'Estimation of epidemiological cut-off values for disk diffusion susceptibility test data for *Streptococcus phocae*. *Aquaculture*, 314:44-48

Smith, P (2008) How difficult is it to achieve compliance with the quality control requirements of the Clinical and Laboratory Standards Institute's guideline M42-A?. *Aquaculture*, 276:1-4

Ruane, NM, Douglas, I, Geary, M, Carroll, C, Fleming, GTA, Smith, P (2007) Application of normalised resistance interpretation to disc diffusion data on the susceptibility of *Aeromonas salmonicida* to three quinolone agents. *Aquaculture*, 272:156-167

Smith, P, Ruane, NM, Douglas, I, Carroll, C, Kronvall, G, Fleming, GTA (2007) Impact of inter-lab variation on the estimation of epidemiological cut-off values for disc diffusion susceptibility test data for *Aeromonas salmonicida*. *Aquaculture*, 272:168-179

Douglas, I, Ruane, NM, Geary, M, Carroll, C, Fleming, GTA, McMurray, J, Smith, P (2007) The advantages of the use of discs containing single agents in disc diffusion testing of the susceptibility of *Aeromonas salmonicida* to potentiated sulphonamides. *Aquaculture*, 272:118-125

Smith, P., Christoflogiannis P. (2007) 'Application of normalised resistance interpretation to the detection of multiple low-level resistance in strains of *Vibrio anguillarum* obtained from Greek fish farms'. *Aquaculture*, 272:223-230

Ruane, NM, Douglas, I, Geary, M, Carroll, C, Fleming, GTA, Smith, P (2007) 'Application of normalised resistance interpretation to disc diffusion data on the susceptibility of *Aeromonas salmonicida* to three quinolone agents'. *Aquaculture*, 272:156-167

Smith, P (2006) 'Breakpoints for disc diffusion susceptibility testing of bacteria associated with fish diseases: A review of current practice'. *Aquaculture*, 26:1113-1121